

Transparent

Family	Code of film type	Description of film	Application	Code of t	reatment	Standard product				PI	ant			
				Out.	Ins.	Thickness (μm)	ARG 🗼	PER	ECU 👸	COL	SLV 🐷	MEX 📳	PRT 🌐	POL
BaseFilm	BCm	Clear, two side heat sealable, one side medium hot slip, one side corona treated	Pasta packaging with automatic stacking	Т	N	17, 20, 25, 30	√	1	-	-	-	-	-	
	BCb	Clear, two side heat sealable, one side high COF, one side corona treated	Pet food packaging	Т	N	17	-	-	-	-	J	-	-	-
ClearFilm	FC	Clear, one side heat sealable, high transparency, optical brightener	Flowers packaging	Т	N	30, 35, 40, 50	-	-	-	√	-	-		-
	FCH	Clear, one side heat sealable, high transparency, optical brightener	Flowers packaging	Т	N	30, 35	-		-	-	-	-	-	-
FogFilm	SEf-TT	Clear, antifog, two side corona treated	Excellent anti-fog performance in cold applications	Т	Т	20, 25, 30, 35, 40	-	-	-	-	-	1	1	√
SealFilm	SC	Clear, two side heat sealable, one side corona treated	General use, flexible packaging	Т	N	15, 17, 18, 20, 23, 24, 25, 30, 35, 40, 50	√	√	1	√	1	1	1	√
	SCx	Clear, two side heat sealable, high wettability on corona treated side	Snack and candy packaging	Т	N	15, 25, 30	-	√	-	-	1	√	-	-
	SCI	Clear, two side heat sealable, high heat resistance on corona treated side	Printed layer for extrusion lamination	Т	N	15	-	-	-	-	-	1	-	-
	SL	Clear, two side heat sealable, one side very low SIT, one side corona treated	Inner layer, high-speed packaging	Т	N	17, 23, 25, 30	-	√	-	-	1	-	-	√
	SA	Clear, two side heat sealable, one side ultra low SIT, one side corona treated	Inner layer, high-speed packaging	Т	N	35	-	-	-	-	-	-	1	-
	SAZ	Clear, two side heat sealable, one side ultra low SIT with high-seal integrity, one side corona treated	Inner layer, high-speed packaging	Т	N	20, 25	-	-		-	-		1	-
SealFilmBio	SCe	Clear, oxo biodegradable, two side heat sealable, one side corona treated	Flexible oxo-biodegradable packaging	Т	N	15, 20, 25	-	-	-	-	√	√	-	-
TapeFilm	тн	Plain, one side corona treated	Adhesive tapes	Т	N	20, 22, 25	√	√	-	-	-	-	-	-
PlainFilm	LH	Plain no sealable, one side corona treated	Outer layer, high-speed packaging	Т	N	15, 20, 23, 28, 30, 35	-	1	1	-	1	√	-	√
	LH-TT	Plain non sealable, two side corona treated	Roll-fed labels	Т	Т	20		-		-	-	√		



Matte

Family	Code of film type	Description of film	Application	Code of t	reatment	Standard product				Pla	ant			
				Out.	Ins.	Thickness (μm)	ARG 🐞	PER	ECU 👸	COL	SLV 🧓	MEX S	PRT 💮	POL
MatteFilm	SD	Two side heat sealable, one side matte, one side corona treated	Flexible packaging	Т	N	17, 20, 30	√	1	√	-	√	√	1	√
	BDb	I wo side heat sealable, one side high CQF matte, one side corona treated	Pasta packaging with automatic stacking, Pet food	Т	N	20	-	-	-	-	-	√	1	-
MatteFilmBio	SDe	Two side heat sealable, oxo-biodegradable, one side matte, one side corona treated	Flexible packaging	Т	N	17, 20, 30	-	-	-	-	1	J	-	-

KEY:

Treatment:

Untreated

Metallized

Γ Corona

F High energy



White and Cavitated

Family	Code of film type	Description of film	Application	Code of t	reatment	Standard product				PI	ant			
				Out.	Ins.	Thickness (µm)	ARG 🐞	PER	ECU 👸	COL	SLV 😛	MEX 📳	PRT 🐞	POL
PerlaFilm	PC	White cavitated, two side heat sealable, one side corona treated	High speed flexible packaging for ice cream, chocolates	Т	N	25, 30, 35, 40	-	-	√	-	1	-	1	-
OpaqueFilm	ОС	White highly cavitated, two side heat sealable, one side corona treated	Monolayer, high opacity, industrial food or ice cream and snacks packaging	Т	N	30, 38, 40	-		√	-	-	-	-	-
VoidFilm	VE-TT	White cavitated, both side corona treated	High speed flexible packaging with high brightness for ice cream, chocolates	Т	Т	38	-	-	-	-	-	J	-	-
WhiteFilm	WC	Full density white, two side heat sealable, one side corona treated	Flexible packaging with good seal strength	Т	N	20, 30	-	-	-	-	-	-	1	-

KEY:

Treatment:

Untreated

Metallized

Corona

F High energy



Metallized

Family	Code of film type	Description of film	Application	Code of t	reatment	Standard product				Pl	ant			
				Out.	Ins.	Thickness (μm)	ARG 🐷	PER	ECU 🎉	COL	SLV	MEX 🕦	PRT 🍓	POL
MetalFilm	ML	Metallized, high barrier, heat sealable with very low SIT	Inner layer, high-speed packaging, food packaging	М	N	15, 17, 20, 25, 30	√	J	1	J	J	-	-	-
	MA	Metallized, high barrier, heat sealable with ultra low SIT	Inner layer, high-speed packaging, food packaging	М	N	15, 17	-	1	1	-	-	-	-	-
	MC	Metallized, high barrier, heat sealable	Inner layer, high-speed packaging, food packaging	М	N	15, 17, 20, 25, 30	-	-	-	-	-	-	1	J
		Metallized, high barrier with high thermal resistance, heat sealable with very low \ensuremath{SIT}	Extrusion laminations, Inner layer, high-speed packaging, food packaging	М	N	15,18	-	-	-	-	-	√	-	-
MetalFilm+	NL	Metallized, very high barrier, heat sealable with very low SIT	Inner layer, high-speed packaging, food packaging	М	N	15, 17, 20	-	1	-	-	1	-	-	-
	NA	Metallized, very high barrier,heat sealable with ultra low SIT	Inner layer, high-speed packaging, food packaging	М	N	15, 20	-	-	-	-	-	-	1	-
MetalFilm++	UA	Metallized, ultra high barrier, heat sealable with ultra low SIT	Inner layer, high-speed packaging, food packaging	М	N	17	-	-	-	-	1	-	-	-
	UH-MT	Metallized, ultra high barrier, one side corona treated	Middle layer in trilaminatoins, cold seal receptive, food packaging	М	Т	17	-	1	-	-	-	-	-	-
	UC	Metallized, ultra high barrier, heat sealable	Inner layer, high-speed packaging, food packaging	М	N	20	-	-	-	-	-	-	1	-

Commercial Films Catalog CAST



Transparent

Family	Code of film type	Description of film	Application	Code of tr	eatment	Standard product				Pla	ant			
				Out.	Ins.	Thickness (μm)	ARG 💌	PER	ECU 🌉	COL	SLV	мех 📳 ғ	PRT 🜐	POL
ClearFilm	(i)	High flexibility and transparency, two side heat sealable, one side corona treated	Bread and pasta packaging, refrigerated food	Т	N	16, 20, 25, 30, 35, 40, 45	-	1	-	-	-	-	1	-
	CH	High flexibility, one side heat sealable and corona treated, one side non sealable	Lolipops packaging, grape bags, laminations with PE	Т	N	20	-	1	-	-	-	-	-	-
	CTLH	Plain, high flexibility and transparency, one side corona treated	Lolipops packaging, grape bags, laminations with PE	Т	N	50	-	-	-	-	-	-	√	-
FogFilm	CCf	Antifog, two side heat sealable, one side corona treated	Fresh fruits and vegetables packaging	Т	N	35	-	-	-	-	-	-	1	-
SealFilm	CC	Two side heat sealable, one side corona treated	Bread, pasta, grains, general lamination and textiles packaging	Т	N	17, 20, 25, 29, 30, 35, 38, 40, 45, 50, 60	-	1	-	-	-	J	-	-
1	ССН	One side heat sealable, one side corona treated	Laminations with sealable CPP or PE	Т	N	20, 25, 30, 35, 40, 45, 50, 60, 75	-	-	-	-	-	-	√	-
	ССНј	Antistatic, one side heat sealable, one side corona treated	Laminations with PE for materials that require antistatic	Т	N	25, 30	-	-	-	-	-	-	J	-
1	CL	Two side heat sealable, one side corona treated, one side very low SIT	Packaging pasta, bread and grains	Т	N	30, 60	-	1	-	-	-	-	-	-
	CA	Two side heat sealable, one side corona treated, one side ultra low SIT	Lamination, very high speed packaging, seal through dust contaminants	Т	N	25, 30	-	√	-	-	-	-	-	-
PlainFilm	СН	Non sealable, one side corona treated	Lamination or yarn bags	Т	N	25	-	1	-	-	-	-	-	-
	CHC	Non sealable, one side corona treated with high adhesiveness	Marshmallows, Laminations with Sealable CPP and PE	Т	N	25	-	√	-	-	-	-	-	-
PeelFilm	CPz	Peelable, high seal strength, one side corona treated	Lidding	Т	N	50		-	-	-	-	1	-	-

KEY:

Treatment:

Untreated

Т

Corona

Commercial Films Catalog CAST



Metallized

Family	Code of film type	Description of film	Application	Code of t	reatment	Standard product				Pla	ınt			
				Out.	Ins.	Thickness (μm)	ARG 🕡 I	PER	ECU 👸	COL	SLV 🐷	MEX S	PRT 😛	POL
MetalFilm	CMC	Metallized high barrier, one side heat sealable	Coffee, fruit cake and snacks packaging	M	N	25, 40, 45	-	√	-	-	-	-	-	-

White

Family	Code of film type	Description of film	Application	Code of t	reatment	Standard product				PI	ant			
				Out.	Ins.	Thickness (μm)	ARG 💗	PER	ECU	COL	SLV 🐷	MEX	PRT 💮	POL
WhiteFilm	CWC	White, two side heat sealable, one side corona treated	Chocolates, snacks	Т	N	20, 25	-	√	-	-	-	1	-	-
	CTW	White, high flexibility, two side heat sealable, one side corona treated	High performance aplications	Т	N	40	-	√	-	-	-	-	-	-
	(:WIH	White, one side corona treated with heat resistance, one side heat sealable with very low \ensuremath{SIT}	Sachets, snacks	т	N	25, 28	-	1	-	-	-	-	-	-
		Antistatic, white, one side corona treated with heat resistance, one side heat sealable with very low \ensuremath{SIT}	Sachets, snacks	Т	N	28	-	√	-	-	-	-	-	-

KEY:

Treatment:

Untreated

т

Corona



Transparent

Family	Code of film type	Description of film	Application	Code of to	eatment	Standard product				Pla	int			
				Out.	Ins.	Thickness (μm)	ARG 👛	PER	ECU 🚾	COL	SLV 📴	MEX 📳	PRT 🛞	POL
CoexFilm	ET-CN	Adhesive copolyester outside	High performance packaging lamination for hot- fill, retortable and aggressive liquids packaging	С	N	10, 12	-	J	-	-	-	-	-	-
SealFilm	EC-CT	Heat sealable copolyester outside, corona treated inside	Reverse printing for gusset sealing design pouches.	С	Т	12, 15, 19, 23, 36	-	√	-	-	-	-	-	-
PlainFilm	ETh-NN	Heat sealable copolyester outside, corona treated inside	Industrial applications such as release layer, hot stamping or electrical and thermal insulation.	N	N	12, 18, 23, 36, 50	-	J	-	1	-	-	-	-
	ET-NN	Untreated on both sides	Industrial applications such as release layer, hot stamping or electrical and thermal insulation.	N	N	12, 23, 36, 50	-	√	-	1	-	-	-	-
	ET-NQ	Copolyester treated inside	Printing and lamination for flexible packaging	N	Q	10, 11, 12, 19, 23	-	√	-	√	-	-	-	-
	ETm-TN	Medium slip, corona treated outside	HFFS and high speed rotogravure processes.	Т	N	12	-	√	-	√	-	-	-	-
	ETm-NQ	Medium slip, copolyester treated inside	HFFS and high speed rotogravure processes.	N	Q	10, 12	-	√	-	1	-	-	-	-
	ETm-TQ	Medium slip, corona treated outside, copolyester treated inside	HFFS and high speed rotogravure processes.	Т	Q	12	-	J	-	√	-	-	-	-
	ETm-TH	Medium slip , corona treated outside, hybrid treated on reverse side	HFFS and high speed rotogravure processes.	Т	Н	10, 12	-	J	-	√	-	-	-	-
	ET-TN	Corona treated outside	Printing and lamination for flexible packaging	Т	N	10, 11, 12, 19, 23, 36, 50	-	√	-	√	-	-	-	-
	ET-TH	Corona treated outside, hybrid treated inside	Printing and lamination adhesion with suitable for UV and EV printing.	Т	н	10, 12, 36	-	√	-	√	-	-	-	-
	ET-TQ	Corona treated outside, copolyester treated inside	Printing and lamination for flexible packaging. Thermal printing on outside	Т	Q	12, 19, 23	-	√	-	√	-	-	-	-
	ET-NA	Acrylic treated inside	Retortable packaging lamination	N	Α	10, 12, 23, 50	-	J	-	√	-	-	-	-
	ET-TA	Corona treated outside, acrylic treated inside	Retortable packaging lamination	Т	Α	12	-	√	-	√	-	-	-	-
	ET-AA	Two side acrylic treated	Reverse priniting and surface lacquer applications. Hot filling suitable.	Α	Α	12, 23	-	√	-	√	-	-	-	-
	FI-IR	Copolyester with high cross-linking rate and thermal resistance on one side, one side corona treated	Designed for use in high-performance and technically demanding packaging processes in the food industry.	Т	R	10,12	-	1	-	٧	-	-	-	-
OpalineFilm	ETO-TH	High haze, matte corona treated outside, hybrid treated inside	Stand-up pouch with special appearance needs.	Т	Н	12	-	J	-	-	-	-	-	-
MatteFilm	ETD-TA	Matte corona treated outside, acrylic treated inside	Stand-up pouch with matte finish. Hot filling suitable.	T	Α	12	-	J	-	-	-	-	-	-
TwistFilm	ETk-TS	Twistable, corona treated outside, antistatic coating inside	Monolayer sweet wrapping, candies, pills, etc. Front printing option	Т	S	18, 23	-	1	-	-	-	-	-	-



Metallized

Family	Code of film type	Description of film	Application	Code of t	reatment	Standard product				Pla	int			
				Out.	Ins.	Thickness (μm)	ARG 🐞	PER	ECU	COL	SLV 🐷	MEX	PRT 😛	POL
MetalFilm	EMg-MQ	Matallizad outside concludator treated with low scratch inside	Graphic arts / Lamination with cardboard bifold boxes. Suitable for UV and offset printing.	М	Q	10, 12	-	1	-	-	-	-	-	-
	EMa-MQ	Metallized outside, copolyester treated inside	Pouches for surface printing	М	Q	10, 12	-	1	-	√	-	-	-	-
	EMk-MN	Metallized outside twistable	Monolayer sweet wrapping, candies, tablets, single or double twist application.	М	N	18, 23	-	J	-	-	-	-	-	-
	EMq-MT	Very high adhesion metallized film outside, corona treated inside.	Triple lamination for hot filling	М	Т	12	-	1	-	√	-	-	-	-
	ELa-MT	Low optical density, corona treated inside	Antistatic pouches for electronic items.	М	Т	12	-	1	-	-	-	-	-	-
MetalFilm +	FING-M1	High optical density metal deposition with very high adhesion outside, corona treated inside.	Triple lamination for hot filling and high barrier products	М	Т	9, 12	-	٧	-	J	-	-	-	-

KEY:

Treatment:

М	Metallized
N	Untreated
Т	Corona
Α	Acrylic
Q	Copolyester
С	Coextruded Copolyester
Н	Hybrid
R	Highly Crosslinked Copolyester
В	High Adherence Acrylic
s	Antistatic



Transparent

Family	Code of film type	Description of film	Application	Code of t	reatment	Standard product				Pla	ınt			
				Out.	Ins.	Thickness (μm)	ARG 🌉	PER	ECU 🌉	COL	SLV 🐷	MEX 📳	PRT 😛	POL
PlainFilm	АТ	()ne side corona treated	Frozen foods, dairy products, vacuum packaging, lids for plastic trays	Т	N	12, 15, 20, 25	-	1	-	-	-	-	-	-
	AT-TT	I WO SIDE CORONA TREATED	Stand-up pouches (liquids), bag in box, medical applications	Т	т	15, 25	-	√	-	-	-	-	-	-
	ATr	Retortable, one side corona treated	-	Т	N	15	-	1	-	-	-	-	-	-
	ATr-TT		Tuna Fish pouches, prepared food, pet food (with moisture)	Т	т	15	-	√	-	-	-	-	-	-
	ATg	High scratch resistance, one side corona treated	Thermolamination with cardboard for soft covers of books	Т	N	12	-	1		-	-	-	-	-
	ATx	High slip level, one side corona treated	Low COF for VFFS packaging	Т	N	15	-	J	-	-	-	-	-	-

KEY:

Treatment:

Untreated

Corona

Metallized

C Copolyamide



Metallized

Family	Code of film type	Description of film	Application	Code of t	treatment	Standard product				Pla	ant			
				Out.	Ins.	Thickness (μm)	ARG 🕡 I	PER	ECU	COL	SLV 🧓	MEX S	PRT 😛 F	POL
MetalFilm	AM-MN	Metallized, high oxygen barrier, one side corona treated	Helium balloons, flexible packaging	М	N	10, 12	-	√	-	-	-	-	-	-

KEY:

Treatment:

Untreated

Corona

Metallized

C Copolyamide



Transparent

Family	Code of film type	Description of film	Application	Code of t	ode of treatment Standard product				Plant						
				Out.	Ins.	Thickness (µm)	ARG P	ER	ECU 🚃	COL	SLV	MEX S	PRT 📵 F	OL JOY	
PlainFilm	HLH	Good stiffness and thermal resistance, one side corona treated	Snacks, nuts, fresh fruits and vegetables, frozen fruits, stand-up pouch for pets, super premium pet food	т	N	25	-	-	J	-	-	-	-	-	

KEY:

Treatment:

Untreated

Corona

Metallized

C Copolyamide

Commercial Films Catalog EXTRUSION COATED



Films and Paper

Family	Code of film type	Description of film	Application	Code of treatment Standard product			Plant							
				Out.	Ins.	Thickness (μm)	ARG 🐞	PER	ECU 👸	COL	SLV 🐷	MEX	PRT 🜐	POL
ThermalFilm	RH-TV	Glossy BOPP film, corona outside, EVA coating inside	Graphic industry, glossy finish	Т	V	12-06, 15-13, 15-10	-	√	-	-	-	-	-	-
	RD-TV	Matte BOPP film, corona outside, EVA coating inside	Graphic industry, matte finish	Т	V	12-06, 15-13, 15-10	-	√	-	-	-	-	-	-
	REM-QV	Metallized BOPET film encapsulated on EVA coating, copolyester treated outside	Graphic industry, metallic finish	Q	V	12-10	-	1	-	-	-	-	-	-
PolyMetalFilm	RM-YL	Metallized BOPP film encapsulated on LDPE with corona treatment, very low SIT on one side	Snacks with gas flush, longer shelf life	Υ	L	17-10	-	-	-	-	-	-	-	-
	REM-TY	Metallized BOPET film encapsulated with treated LDPE, Corona outside	Industrial applications of thermal insulation	Т	Υ	12-10	-	√ l	-	-	-	-	-	-
	REM-()Y	$\label{thm:metallized} \mbox{Metallized BOPET film encapsulated with treated LDPE, Copolyester treated outside}$	Industrial applications of thermal insulation. Thermal lamination with PE foam or bubble sheets	Q	Υ	12-10	-	√	-	-	-	-	-	-
PolyPaper	RP-NE	C1S paper, Heat sealable LDPE coating inside		N	E	40-10, 40-15, 40-20, 50- 10, 50-20	-	1	-	-	-	-	-	-
	RPL-NE	Machine Glassed paper, Heat sealable LDPE coating inside	Sugar sachets, salt, sandwich wrapping and various packaging papers requiring certain barrier to fats	N	E	30-15, 40 - 10, 40-15, 40- 20, 50-10, 50-20	-	1	-	-	-	-	-	-
	RPL-NB	Machine Glassed paper, Heat sealable Biopolymer coating inside		N	В	40-15	-	√	-	-	-	-	-	-
	RPK-NE	Kraft natural paper, Heat sealable LDPE coating inside		N	E	40-15, 40-20	-	√	-	-	-	-	-	-
	RPK-NB	Kraft natural paper, Heat sealable Biopolymer coating inside		N	В	40-15, 40-20	-	√	-	-	-	-	-	-
	RPG-NE	Machine Glassed paper, Heat sealable LDPE coating inside		N	E	40-10	-	1	-	-	-	-	-	-
PolyTela	RT-NE	PP Non woven, LDPE coating inside	Protective clothing fabric against fluids, bacteria, and viruses.	N	E	30-20, 35-20, 25-20, 40-20) -	1	-	-	-	-	-	-

KEY:

Treatment:	N	Untreated	Coating:	V	EVA with Corona treatment
	Т	Corona		Υ	Corona treated LDPE
	V	EVE Treated		E	LDPE
	E	LDPE		В	Biopolymer
	Υ	Treated LDPE			
	Q	Copolyester			